Chapter 20 Guided Notes

- 1. Define Sexually Transmitted Disease
- 2. What does asymptomatic mean?
- 3. What are 2 risks of teen sexual activity?
- 4. What does epidemic mean?
- 5. How are STD's spread?
- 6. Why are babies born to teens more likely to suffer from health problems?
- 7. What should you do if you suspect you have an STD?
- 8. Why is teen pregnancy hard on the mother's health?
- 9. What are 5 ways that teens can protect themselves from STD's?
- 10. What age group has the highest rate of Chlamydia on page 481?
- 11. Why is a teenager more at risk of being infected with an STD than an adult?
- 12. List 4 STD's and explain what causes them.
- 13. Why are females more susceptible to get an STD?
- 14. Name 3 high-risk behaviors that put a teen at risk for an STD?
- 15. How many teen pregnancies happen each year?
- 16. What is the ratio of sexually active teens that have an STD?
- 17. List 2 reasons STD's in teens are considered a "silent epidemic"?
- 18. What is the difference between an STD caused by a bacteria and those that are caused by a virus?
- 19. Many teens think that having a baby will bring only pleasure to their lives and make them the center of attention. Imagine you are a parent at your age, list some realities about caring for a infant 24 hours a day.

Common STD's

Disease: Chlamydia	
	Caused by:
	Spread through:
	Symptoms:
	Treatment:
Disease: Pelvic Infla	mmatory Disease (PID)
	Caused by:
	Spread through:
	Symptoms:
	Treatment:
Disease: Gonorrhea	
	Caused by:
	Spread through:
	Symptoms:
	Treatment:

Disease:	Syphilis	
		Caused by:
		Spread through:
		Symptoms:
		Treatment:
Disease:	Genital Wa	rts - HPV
		Caused by:
		Spread through:
		Symptoms:
		Treatment:
Disease: Genital Herpes		
		Caused by:
		Spread through:
		Symptoms:
		Treatment:

Disease: <u>Hepatitis B and C</u>	
Caused by:	
Spread through:	
Symptoms:	
Treatment:	
2	
Caused by:	
Spread through:	
Symptoms:	
Treatment:	
Caused by:	
Spread through:	
Symptoms:	
Treatment:	