Name	Date
Meiosis Worksheet	
Identifying Processes On the lines provided, or	der the different stages of meiosis LTHROUGH
meiosis II, including interphase in the proper sequence	
1 homologous chromosome line	
2 spindle fibers pull homologou	us pairs to ends of the cell
3 4 haploid (N) daughter cells for	orm
4. cells undergo a round of DNA	replication
5. sister chromatids separate fr	om each other
6. 2 haploid (N) daughter cells to	orm
7 spindle fibers attach to the ho	omologous chromosome pairs
8 individual chromatids move to	each end of the cell
9 crossing-over (if any) occurs Short Answer	
10. Compare the number and type of cells that re	scult from majosis vs. mitosis
10. Compare the number and type of cells that re	Suit Horr meiosis vs. mitosis.
11. How do the genetic contents of cells resulting	from mitosis and meiosis differ?
12. Comparing and Contrasting Describe a sim and meiosis II.	nilarity and a difference between meiosis I
many chromosomes will each daughter cell have 14 Compare and Contrast: How are mitosis and	
Read each statement, and then on the line write action occurs. IF the action occurs in both, write It. metaphase I meiosis homologous chromoso	both. The first one is done for you
2	
3.	spindle fibers pull homologous pairs to
ends of the cell	
4	4 haploid (N) daughter cells form
5	
6	The chromosomes line up across the
middle of the cell.	
7	
8	sister chromatids separate from each
other	
9	
10	Sister chromatids separate into individual
chromosomes.	Nuclear envelope re forme
11	
12chromosome pairs	spinule libers attach to the hornologous
13	individual chromatids move to each end
of the cell	

14	The nucleolus disappears and the nuclear
envelope beaks down.	
15	Each chromosome is connected to a
spindle fiber. 16	crossing-over (if any) occurs
10	crossing-over (if arry) occurs
VOCABULARY:	
1. Asexual reproduction	
1. Asexual reproduction 2. Asters	
2. Asters 3. Cell cycle	
5. Cell cycle 4. Cell plate	
5. Centromere	
6. Chiasma	
7. Chromatid	
8. Chromatin	
9. Chromosomes	
10. Clone	
10. Glone 11. Crossing over	
12. Cytokinesis	
12. Oytokinesis 13. Diploid	
14. Fertilization	
15. Gamete	
16. Gamete 16. Haploid	
15. Haploid 17. Interphase	
18. Karyotype	
19. Kinetochore	
20. Meiosis	
20. Melosis 21. Metaphase	
22. Mitosis	
23. Prophase	
23. 1 Tophiaso 24. S phase	
25. Sexual reproduction	
26. Spindle	
25. Synapsis	
28. Telophase	
29. Tetrad	
30. Zygote	

- A. Division of the cell nucleus, results in two daughter nuclei, each have the same number of chromosomes as the parent nucleus.
- B. One two identical halves of a duplicated chromosome
- C. Clusters of microtubules radiating out from the poles in dividing cells. They are present in animal cells, but not in the cells of flowering plants and most gymnosperms.
- D. The breaking and rejoining of homologous (non sister) chromatids during early meiotic prophase I, resulting in an exchange of genetic material.
- E. The 2n cell that results from the union of n gametes in sexual reproduction. Species that are

not polyploidy have haploid gametes and diploid zygotes.

- F. The stage of mitosis, and of meiosis I and II, in which the chromosomes line up on the equatorial plane of the cell.
- G. The condition of having one set of chromosomes per nucleus.
- H. The complex of DNA, proteins and some RNA that makes up eukaryotic chromosomes.
- I. Structures in the cell nucleus, composed of chromatin and containing the genes
- J. Cyclic series of events in the life of a dividing eukaryotic cell; consists of stages of interphase, mitosis and cytokinesis
- K. The first stage of mitosis, and of meiosis I and II; chromosomes become visible as distinct

structures, the nuclear envelope breaks down, and a spindle forms

- L. An X-shaped site in a tetrad marking the location where homologous chromatids previously underwent crossing over
- M. A sex cell; in plants and animals, an egg or sperm.
- N. Type of reproduction in which two gametes (usually, but not necessarily, contributed by

two different parents) fuse to form a zygote.

O. The chromosomal constitution of an individual; generally prepared by photographing the

chromosomes and arranging the homologous pairs according to size, centromere position

and pattern of bands.

P. Structure consisting mainly of microtubules that provides the framework for chromosome

movement during cell division

- Q. Process in which a 2n cell undergoes two successive nuclear divisions, potentially producing four nuclei; leads to the formation of gametes in animals and spores in plants.
- R. A type of reproduction involving only one parent (genetically identical offspring.)
- S. Stage of the cell cycle between successive mitotic divisions; Its subdivisions are the G1

(first gap), S (DNA synthesis) and G2 (second gap) phases.

- T. Stage in interphase of the cell cycle during which DNA and other chromosomal constituents are synthesized.
- U. Chromosome complex formed by the synapsis of homologous chromosomes during meiotic prophase I.
- V. A population of cells descended by mitotic division from a single ancestral cell, or a population of genetically identical organisms asexually propagated from a single individual.
- W. The condition of having two sets of chromosomes per nucleus.
- X. Stage of cell division in which the cytoplasm is divided to form two daughter cells.
- Y. Portion of the chromosome centromere to which the mitotic spindle fibers attach.
- Z. The process of physical association of homologous chromosomes during prophase I AA. The structure that forms during cytokinesis in plants, separating the two daughter cells produced by mitosis.
- BB. Fusion of n gametes; results in the formation of a 2n zygote.

- CC. Specialized constricted region of a chromatid; contains the kinetochore. In cells at prophase and metaphase, sister chromatids are joined in the vicinity of their centromeres.
- DD. The last stage of mitosis, and of meiosis I and II, when, having reached the poles, chromosomes become decondensed, and a nuclear envelope forms around each group.

MULTIPLE CHOICE:

- 1. During which phase of the meiotic cell cycle does DNA replication occur?
- a. interphase
- b. prophase
- c. metaphase
- d. anaphase
- e. telophase
- 2. When does crossover take place in meiosis?
- a. interphase
- b. prophase
- c. metaphase
- d. anaphase
- e. telophase
- 3. During which phase of meiosis does the nuclear membrane reform around chromosomes?
- a. interphase
- b. prophase I
- c. metaphase II
- d. anaphase I
- e. telophase II
- 4. A human cell containing 22 autosomes and a Y chromosome is...
- a. a somatic cell of a male
- b. a zygote
- c. a somatic cell of a female
- d. a sperm cell
- e. an ovum
- 5. Homologous chromosomes move towards opposite poles of a dividing cell during...
- a. mitosis
- b. meiosis I
- c. meiosis II

- d. fertilization
- e. binary fission
- 6. Meiosis II is similar to mitosis in that...
- a. homologous chromosomes synapse
- b. DNA replicates before the division
- c. the daughter cells are diploid
- d. sister chromatids separate during anaphase
- e. the chromosome number is reduced
- 7. Metaphase of meiosis I and meiosis II differ in that...
- a. chromosomes line up at the equator
- b. homologues line up in meiosis I and duplicated chromosomes line up in meiosis II
- c. sister chromatids line up in meiosis I and chromosomes line up in meiosis II
- d. there are the same number of chromosomes
- 8. Asexually reproducing organisms produce offspring that are genetically identical to each other

and to the parents. What type of cell division are the offspring a product of?

- a. mitosis
- b. meiosis
- c. binary fission
- d. fertilization
- 9. At which stage of meiosis do chromatids separate and become daughter chromosomes?
- a. metaphase I
- b. anaphase I
- c. metaphase II
- d. anaphase II
- e. telophase II
- 10. The process in which haploid gametes are formed in diploid organisms is called:
- a. cytokinesis
- b. interphase
- c. meiosis
- d. mitosis
- e. nuclear division

11. Which of the following correctly ranks nucleic acid structures in order of size, from smallest to largest? a. chromosome, nucleotide, gene, codon b. nucleotide, codon, gene, chromosome c. chromosome, gene, codon, nucleotide d. codon, nucleotide, chromosome gene 12. A human cell containing 44 autosomes and two X chromosomes is... a. a somatic cell of a male b. a zygote c. a somatic cell of a female d. a sperm cell e. an ovum 13. Independent assortment is one of the factors that contributes to genetic diversity. Independent assortment is associated with which stage of meiosis? a. anaphase I b. prophase I c. metaphase I d. anaphase II

14. The fertilized egg (zygote) of a human contains how many chromosomes?

15. Which cells of the human body are made through the process of meiosis?

e. metaphase II

a. gametesb. somatic cells

e. autosomes

c. all cells of the body d. X and Y chromosomes

a. 1b. 22c. 46d. 23e. 48

16. A	is the complete set of chromosomes of an organism, arranged
and	
displayed in pairs and	d ordered by size. (Select the BEST answer.)
a. genome	
b. karyotype	
c. nucleus	
d. heredity	
e. gene	
17. Which 2 cells wou	uld be more genetically similar to each other?
a. two gametes produ	iced by the same person
b. two somatic cells p	roduced by the same person
c. two eggs produced	
d. two sperm produce	d by the same man
	sm has a genome consisting of 22 chromosomes, its gametes will
have chromoso	omes.
a. 44	
b. 11	
c. 22 d. 88	
e. 19	
0. 10	
19. When does DNA	replication occur during meiosis?
a. interphase I	
b. prophase I	
c. interphase II	
d. prophase II	
e. interphase I and II	
20. The term 'synapsi	is' is associated with which process?
a. crossing over	•
b. independent assort	ment
c. mitosis	
d. anaphase	
e. fertilization	